



Accreditation Council for Graduate Medical Education

Foot And Ankle Orthopaedics Case Logs

National Data Report

Prepared by: Department of Applications and Data Analysis

I. National Resident Statistics Main Table

A. This main table provides a national picture of educational experiences. The report is ideal for establishing and assessing national policy related to resident practical experiences. Data are broken out by patient type (adult, pediatric, and all).

B. Descriptive statistics have been carefully chosen to provide the most useful information for judging performance at that national level.

i. "Natl Res AVE" - The national average describes the mean number of procedures performed per resident in the nation.

ii. "Natl Res STD" - The standard deviation indicates how tightly the scores are clustered around the mean in the set of data.

iii. "Natl Res MIN" - The minimum value among procedure counts in the nation.

iv. "Natl Res MED" - The median value among procedure counts in the nation.

v. "Natl Res MAX" - The maximum value seen among procedure counts in the nation.

II. National Benchmark Report for Resident Statistics

The table displays selected percentile benchmarks of program averages. For example, a score at the 10th percentile indicates that 10% of residents achieved less than the value while the remaining 90% achieved more than the value.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT REPORT (Main Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 1] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|--------------------------------|--------------------------------|---------------------------|--------------|--------------|--------------|--------------|-----------------------------|--------------|--------------|--------------|--------------|----------------|--------------|--------------|--------------|--------------|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Shoulder | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.2 | 1 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 |
| | --Fracture and/or Dislocation | 0.2 | 1 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 |
| | --Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Shoulder | 0.2 | 1 | 0 | 0 | 3 | 0.2 | 1 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 1 |
| | Humerus/Elbow | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 |
| Excision | | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 |
| Intro or Removal | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Repair/Revision/Reconstruction | | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| Trauma | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| --Fracture and/or Dislocation | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| --Manipulation | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Arthrodesis | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Amputation | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Arthroscopy | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Other Procedures | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| TOTAL-Humerus/Elbow | | 0.2 | 1 | 0 | 0 | 3 | 0.2 | 1 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 1 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT REPORT (Main Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 2] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | | |
|---------------|--------------------------------|---------------------------|--------------|--------------|--------------|--------------|-----------------------------|--------------|--------------|--------------|--------------|----------------|--------------|--------------|--------------|--------------|---|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | | |
| | | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | | |
| Forearm/Wrist | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Trauma | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 1 | |
| | --Fracture and/or Dislocation | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 1 | |
| | --Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | TOTAL-Forearm/Wrist | | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 1 |
| Hand/Fingers | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Excision | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 | |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | --Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | --Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Arthrodesis | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 | |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | |
| | TOTAL-Hand/Fingers | | 0.2 | 1 | 0 | 0 | 2 | 0.2 | 1 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT REPORT (Main Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 3] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|--------------------------------|--------------------------------|---------------------------|--------------|--------------|--------------|--------------|-----------------------------|--------------|--------------|--------------|--------------|----------------|--------------|--------------|--------------|--------------|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Pelvis/Hip | Incision | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.2 | 0 | 0 | 0 | 1 | 0.2 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.5 | 1 | 0 | 0 | 5 | 0.5 | 1 | 0 | 0 | 5 | 0.0 | 0 | 0 | 0 | 0 |
| | --Fracture and/or Dislocation | 0.5 | 1 | 0 | 0 | 5 | 0.5 | 1 | 0 | 0 | 5 | 0.0 | 0 | 0 | 0 | 0 |
| | --Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Pelvis/Hip | 0.8 | 2 | 0 | 0 | 6 | 0.8 | 2 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| | Femur/Knee | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 |
| Excision | | 0.3 | 1 | 0 | 0 | 2 | 0.3 | 1 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| Intro or Removal | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Repair/Revision/Reconstruction | | 0.3 | 1 | 0 | 0 | 2 | 0.3 | 1 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| Trauma | | 0.4 | 1 | 0 | 0 | 6 | 0.4 | 1 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| --Fracture and/or Dislocation | | 0.4 | 1 | 0 | 0 | 6 | 0.4 | 1 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| --Manipulation | | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| Arthrodesis | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Amputation | | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| Arthroscopy | | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 |
| Other Procedures | | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| TOTAL-Femur/Knee | | 1.2 | 2 | 0 | 1 | 8 | 1.1 | 2 | 0 | 0 | 8 | 0.1 | 0 | 0 | 0 | 1 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT REPORT (Main Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 4] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|-----------|--------------------------------|---------------------------|--------------|--------------|--------------|--------------|-----------------------------|--------------|--------------|--------------|--------------|----------------|--------------|--------------|--------------|--------------|
| RRC Area | RRC Procedure | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX |
| Leg/Ankle | Incision | 9.3 | 7 | 0 | 6 | 22 | 9.1 | 7 | 0 | 6 | 22 | 0.2 | 1 | 0 | 0 | 2 |
| | Excision | 12.3 | 11 | 1 | 8 | 32 | 12.2 | 11 | 1 | 8 | 32 | 0.1 | 0 | 0 | 0 | 1 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 160.3 | 37 | 105 | 158 | 215 | 157.7 | 36 | 104 | 157 | 215 | 2.6 | 4 | 0 | 1 | 13 |
| | Trauma | 26.7 | 12 | 5 | 30 | 51 | 25.8 | 12 | 5 | 29 | 51 | 0.9 | 2 | 0 | 0 | 7 |
| | --Fracture and/or Dislocation | 25.8 | 12 | 5 | 28 | 50 | 24.9 | 11 | 5 | 27 | 50 | 0.9 | 2 | 0 | 0 | 7 |
| | --Manipulation | 0.9 | 1 | 0 | 1 | 3 | 0.9 | 1 | 0 | 1 | 3 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 11.3 | 7 | 1 | 14 | 23 | 11.2 | 7 | 1 | 14 | 23 | 0.1 | 0 | 0 | 0 | 1 |
| | Amputation | 1.9 | 2 | 0 | 2 | 10 | 1.9 | 2 | 0 | 2 | 10 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 29.1 | 13 | 9 | 28 | 50 | 27.8 | 12 | 8 | 27 | 50 | 1.3 | 2 | 0 | 0 | 10 |
| | Other Procedures | 1.7 | 3 | 0 | 0 | 14 | 1.7 | 3 | 0 | 0 | 14 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Leg/Ankle | 252.5 | 59 | 153 | 260 | 358 | 247.4 | 57 | 153 | 256 | 330 | 5.1 | 8 | 0 | 2 | 28 |
| Foot/Toes | Incision | 10.4 | 11 | 1 | 8 | 46 | 10.4 | 11 | 1 | 8 | 46 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 48.2 | 20 | 13 | 50 | 92 | 46.9 | 20 | 13 | 49 | 89 | 1.2 | 2 | 0 | 0 | 8 |
| | Intro or Removal | 0.3 | 1 | 0 | 0 | 2 | 0.3 | 1 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 1 |
| | Repair/Revision/Reconstruction | 231.2 | 65 | 113 | 212 | 336 | 228.3 | 64 | 113 | 211 | 336 | 2.9 | 5 | 0 | 1 | 15 |
| | Trauma | 21.5 | 10 | 6 | 20 | 49 | 20.8 | 10 | 6 | 19 | 48 | 0.7 | 1 | 0 | 0 | 5 |
| | --Fracture and/or Dislocation | 21.1 | 10 | 6 | 20 | 49 | 20.4 | 10 | 6 | 19 | 48 | 0.7 | 1 | 0 | 0 | 5 |
| | --Manipulation | 0.4 | 1 | 0 | 0 | 4 | 0.3 | 1 | 0 | 0 | 4 | 0.1 | 0 | 0 | 0 | 1 |
| | Arthrodesis | 74.4 | 19 | 49 | 75 | 111 | 73.7 | 18 | 49 | 74 | 106 | 0.8 | 2 | 0 | 0 | 5 |
| | Amputation | 6.2 | 5 | 0 | 4 | 16 | 6.1 | 5 | 0 | 4 | 16 | 0.1 | 0 | 0 | 0 | 1 |
| | Arthroscopy | 1.4 | 2 | 0 | 1 | 7 | 1.4 | 2 | 0 | 1 | 7 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 2.2 | 4 | 0 | 1 | 14 | 2.1 | 4 | 0 | 0 | 13 | 0.1 | 0 | 0 | 0 | 1 |
| | TOTAL-Foot/Toes | 395.8 | 92 | 220 | 394 | 537 | 389.9 | 88 | 220 | 386 | 537 | 5.9 | 9 | 0 | 2 | 29 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT REPORT (Main Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 5] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|-----------------------|--------------------------------|---------------------------|--------------|--------------|--------------|--------------|-----------------------------|--------------|--------------|--------------|--------------|----------------|--------------|--------------|--------------|--------------|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Other Musculoskeletal | Incision | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.7 | 1 | 0 | 0 | 3 | 0.7 | 1 | 0 | 0 | 3 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 50.8 | 18 | 23 | 53 | 80 | 50.1 | 18 | 23 | 53 | 75 | 0.7 | 1 | 0 | 0 | 5 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | --Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.3 | 1 | 0 | 0 | 3 | 0.3 | 1 | 0 | 0 | 3 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 63.3 | 68 | 0 | 44 | 234 | 63.1 | 68 | 0 | 44 | 234 | 0.2 | 1 | 0 | 0 | 2 |
| | TOTAL-Other Musclskel | 115.2 | 75 | 27 | 98 | 297 | 114.3 | 75 | 27 | 98 | 297 | 0.9 | 2 | 0 | 0 | 5 |
| Spine | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Osteotomy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Decompression | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis/Anterior | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis/Posterior | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis/Deformity | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Exploration | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Instrumentation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Spine | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT REPORT (Main Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 6] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|----------------------|-------------------------|---------------------------|--------------|--------------|--------------|--------------|-----------------------------|--------------|--------------|--------------|--------------|----------------|--------------|--------------|--------------|--------------|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Natl Res MIN | Natl Res MED | Natl Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Integumentary System | Incision/Excision | 7.2 | 7 | 0 | 5 | 24 | 7.0 | 6 | 0 | 5 | 24 | 0.2 | 1 | 0 | 0 | 2 |
| | Repair (Closure) | 1.6 | 2 | 0 | 1 | 7 | 1.5 | 2 | 0 | 1 | 7 | 0.1 | 0 | 0 | 0 | 1 |
| | Skin Grafts | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Flaps | 0.3 | 1 | 0 | 0 | 2 | 0.3 | 1 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Integumentary | 9.2 | 7 | 0 | 9 | 27 | 8.9 | 7 | 0 | 9 | 27 | 0.2 | 1 | 0 | 0 | 3 |
| Nervous System | Incision/Excision | 2.6 | 3 | 0 | 2 | 11 | 2.6 | 3 | 0 | 2 | 11 | 0.0 | 0 | 0 | 0 | 0 |
| | Neuroplasty | 2.6 | 3 | 0 | 2 | 10 | 2.6 | 3 | 0 | 2 | 10 | 0.0 | 0 | 0 | 0 | 0 |
| | Transection or Avulsion | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Neurorrhaphy | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Carpal Tunnel | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.1 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Nervous System | 5.3 | 4 | 0 | 4 | 14 | 5.3 | 4 | 0 | 4 | 14 | 0.0 | 0 | 0 | 0 | 0 |
| Oncology Cases | TOTAL-Oncology Cases | 1.7 | 5 | 0 | 0 | 18 | 1.7 | 5 | 0 | 0 | 18 | 0.0 | 0 | 0 | 0 | 0 |
| Microsurgeries | TOTAL-Microsurgeries | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Trauma Cases | TOTAL-Trauma | 49.4 | 20 | 17 | 50 | 101 | 47.7 | 19 | 17 | 47 | 96 | 1.7 | 3 | 0 | 0 | 10 |
| Total of all procs | TOTAL-Procedures | 780.7 | 162 | 491 | 737 | 1,078 | 768.3 | 157 | 491 | 722 | 1,078 | 12.4 | 19 | 0 | 5 | 64 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT STATISTICS REPORT (Benchmarks Table)
Reporting Period: Total Experience of Residents Completing Programs in 2013-2014
Residency Review Committee for Orthopaedic Surgery
Report Date: October 9, 2014

| [PART 1] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|---------------|--------------------------------|---------------------------|----|----|----|----|-----------------------------|----|----|----|----|----------------------|----|----|----|----|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Resident Percentiles | | | | | Resident Percentiles | | | | | Resident Percentiles | | | | |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Shoulder | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | --Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | --Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Shoulder | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Humerus/Elbow | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | --Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | --Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Humerus/Elbow | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT STATISTICS REPORT (Benchmarks Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 2] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | | |
|---------------|--------------------------------|---------------------------|----|----|----|----|-----------------------------|----|----|----|----|----------------------|----|----|----|----|---|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | | |
| | | Resident Percentiles | | | | | Resident Percentiles | | | | | Resident Percentiles | | | | | |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | | |
| Forearm/Wrist | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | --Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | --Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | TOTAL-Forearm/Wrist | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hand/Fingers | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | --Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | --Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | TOTAL-Hand/Fingers | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT STATISTICS REPORT (Benchmarks Table)

Reporting Period: Total Experience of Residents Completing Programs in 2013-2014

Residency Review Committee for Orthopaedic Surgery

Report Date: October 9, 2014

| [PART 3] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|--------------------------------|--------------------------------|---------------------------|----|----|----|----|-----------------------------|----|----|----|----|----------------------|----|----|----|----|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Resident Percentiles | | | | | Resident Percentiles | | | | | Resident Percentiles | | | | |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Pelvis/Hip | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| | --Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| | --Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Pelvis/Hip | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| | Femur/Knee | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Excision | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Intro or Removal | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Repair/Revision/Reconstruction | | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Trauma | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| --Fracture and/or Dislocation | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| --Manipulation | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Arthrodesis | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Amputation | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Arthroscopy | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Procedures | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL-Femur/Knee | | 0 | 0 | 1 | 1 | 3 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT STATISTICS REPORT (Benchmarks Table)
Reporting Period: Total Experience of Residents Completing Programs in 2013-2014
Residency Review Committee for Orthopaedic Surgery
Report Date: October 9, 2014

| [PART 4] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|-----------|--------------------------------|---------------------------|-----|-----|-----|-----|-----------------------------|-----|-----|-----|-----|----------------------|----|----|----|----|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Resident Percentiles | | | | | Resident Percentiles | | | | | Resident Percentiles | | | | |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Leg/Ankle | Incision | 2 | 5 | 6 | 13 | 20 | 2 | 5 | 6 | 12 | 20 | 0 | 0 | 0 | 0 | 1 |
| | Excision | 1 | 4 | 8 | 16 | 30 | 1 | 4 | 8 | 16 | 30 | 0 | 0 | 0 | 0 | 1 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 107 | 134 | 158 | 189 | 210 | 105 | 134 | 157 | 186 | 210 | 0 | 0 | 1 | 2 | 11 |
| | Trauma | 10 | 19 | 30 | 36 | 38 | 10 | 19 | 29 | 31 | 38 | 0 | 0 | 0 | 1 | 4 |
| | --Fracture and/or Dislocation | 9 | 18 | 28 | 35 | 36 | 9 | 18 | 27 | 29 | 36 | 0 | 0 | 0 | 1 | 4 |
| | --Manipulation | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 2 | 4 | 14 | 15 | 22 | 2 | 4 | 14 | 15 | 22 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 2 | 3 | 3 | 0 | 0 | 2 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 16 | 18 | 28 | 35 | 50 | 16 | 18 | 27 | 35 | 46 | 0 | 0 | 0 | 1 | 4 |
| | Other Procedures | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Leg/Ankle | 179 | 202 | 260 | 301 | 318 | 179 | 199 | 256 | 301 | 318 | 0 | 0 | 2 | 4 | 23 |
| Foot/Toes | Incision | 1 | 5 | 8 | 13 | 20 | 1 | 5 | 8 | 13 | 20 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 19 | 35 | 50 | 59 | 74 | 19 | 35 | 49 | 58 | 74 | 0 | 0 | 0 | 1 | 6 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 159 | 199 | 212 | 280 | 329 | 157 | 195 | 211 | 275 | 327 | 0 | 0 | 1 | 2 | 13 |
| | Trauma | 12 | 15 | 20 | 22 | 39 | 12 | 14 | 19 | 22 | 39 | 0 | 0 | 0 | 0 | 3 |
| | --Fracture and/or Dislocation | 12 | 14 | 20 | 22 | 39 | 12 | 13 | 19 | 22 | 39 | 0 | 0 | 0 | 0 | 3 |
| | --Manipulation | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 51 | 60 | 75 | 87 | 102 | 50 | 60 | 74 | 83 | 102 | 0 | 0 | 0 | 0 | 4 |
| | Amputation | 0 | 3 | 4 | 8 | 13 | 0 | 3 | 4 | 8 | 13 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 1 | 2 | 5 | 0 | 0 | 1 | 2 | 5 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 1 | 1 | 11 | 0 | 0 | 0 | 1 | 11 | 0 | 0 | 0 | 0 | 1 |
| | TOTAL-Foot/Toes | 293 | 323 | 394 | 468 | 518 | 292 | 319 | 386 | 454 | 496 | 0 | 0 | 2 | 5 | 25 |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT STATISTICS REPORT (Benchmarks Table)
Reporting Period: Total Experience of Residents Completing Programs in 2013-2014
Residency Review Committee for Orthopaedic Surgery
Report Date: October 9, 2014

| [PART 5] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|-----------------------|--------------------------------|---------------------------|----|----|-----|-----|-----------------------------|----|----|-----|-----|----------------------|----|----|----|----|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Resident Percentiles | | | | | Resident Percentiles | | | | | Resident Percentiles | | | | |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Other Musculoskeletal | Incision | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 25 | 38 | 53 | 65 | 72 | 25 | 36 | 53 | 65 | 70 | 0 | 0 | 0 | 1 | 2 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | --Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 1 | 29 | 44 | 66 | 190 | 1 | 29 | 44 | 64 | 190 | 0 | 0 | 0 | 0 | 1 |
| | TOTAL-Other Musclskel | 27 | 88 | 98 | 133 | 258 | 27 | 87 | 98 | 130 | 258 | 0 | 0 | 0 | 1 | 4 |
| Spine | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Osteotomy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Decompression | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis/Anterior | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis/Posterior | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis/Deformity | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Exploration | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Instrumentation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL-Spine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Statistics are based upon all procedures logged by residents.

FOOT AND ANKLE ORTHOPAEDICS: NATIONAL RESIDENT STATISTICS REPORT (Benchmarks Table)
Reporting Period: Total Experience of Residents Completing Programs in 2013-2014
Residency Review Committee for Orthopaedic Surgery
Report Date: October 9, 2014

| [PART 6] | | Programs in the Nation: 7 | | | | | Residents in the Nation: 18 | | | | | | | | | |
|----------------------|-------------------------|---------------------------|-----|-----|-----|-------|-----------------------------|-----|-----|-----|-------|----------------------|----|----|----|----|
| | | All Patients | | | | | Adult Only | | | | | Pediatric Only | | | | |
| | | Resident Percentiles | | | | | Resident Percentiles | | | | | Resident Percentiles | | | | |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Integumentary System | Incision/Excision | 0 | 3 | 5 | 10 | 16 | 0 | 3 | 5 | 10 | 15 | 0 | 0 | 0 | 0 | 1 |
| | Repair (Closure) | 0 | 0 | 1 | 2 | 6 | 0 | 0 | 1 | 2 | 6 | 0 | 0 | 0 | 0 | 0 |
| | Skin Grafts | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flaps | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Integumentary | | 0 | 5 | 9 | 12 | 19 | 0 | 5 | 9 | 12 | 17 | 0 | 0 | 0 | 0 |
| Nervous System | Incision/Excision | 0 | 0 | 2 | 3 | 8 | 0 | 0 | 2 | 3 | 8 | 0 | 0 | 0 | 0 | 0 |
| | Neuroplasty | 0 | 1 | 2 | 3 | 6 | 0 | 1 | 2 | 3 | 6 | 0 | 0 | 0 | 0 | 0 |
| | Transection or Avulsion | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Neurorrhaphy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Carpal Tunnel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Nervous Systm | | 1 | 2 | 4 | 7 | 12 | 1 | 2 | 4 | 7 | 12 | 0 | 0 | 0 | 0 |
| Oncology Cases | TOTAL-Oncology Cases | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 | 0 |
| Microsurgeries | TOTAL-Microsurgeries | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trauma Cases | TOTAL-Trauma | 18 | 46 | 50 | 51 | 77 | 18 | 42 | 47 | 49 | 77 | 0 | 0 | 0 | 1 | 5 |
| Total of all procs | TOTAL-Procedures | 624 | 689 | 737 | 842 | 1,015 | 614 | 681 | 722 | 842 | 1,015 | 0 | 0 | 5 | 12 | 53 |

Statistics are based upon all procedures logged by residents.