

Accreditation Council for

Graduate Medical Education

Orthopaedic Surgery Of The Spine Case Logs

National Data Report

Prepared by: Department of Applications and Data Analysis

- I. National Resident Statistics Main Table
 - A. This main table provides a national picture of educational experiences. The report is ideal for establishing and assessing national policy related to resident practical experiences. Data are broken out by patient type (adult, pediatric, and all).
 - B. Descriptive statistics have been carefully chosen to provide the most useful information for judging performance at that national level.
 - i. "Natl Res AVE" The national average describes the mean number of procedures performed per resident in the nation.
 - ii. "Natl Res STD" The standard deviation indicates how tightly the scores are clustered around the mean in the set of data.
 - iii. "Natl Res MIN" The minimum value among procedure counts in the nation.
 - iv. "Natl Res MED" The median value among procedure counts in the nation.
 - v. "Natl Res MAX" The maximum value seen among procedure counts in the nation.
- II. National Benchmark Report for Resident Statistics
 - The table displays selected percentile benchmarks of program averages. For example, a score at the 10th percentile indicates that 10% of residents achieved less than the value while the remaining 90% achieved more than the value.

| | | | Α | II Patien | its | | | Α | dult On | ly | | | Pe | diatric C | nly | |
|---------------|--------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------|
| | | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Nati Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Nat Res MA |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Shoulder | Incision | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.1 | 1 | 0 | 0 | 4 | 0.1 | 1 | 0 | 0 | 4 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Shoulder | 0.2 | 1 | 0 | 0 | 6 | 0.2 | 1 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| Humerus/Elbow | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Humerus/Elbow | 0.1 | 1 | 0 | 0 | 3 | 0.1 | 1 | 0 | 0 | 3 | 0.0 | 0 | 0 | 0 | 0 |

| | | | Α | II Patier | ıts | | | A | dult On | ıly | | | Ped | diatric C | nly | |
|----------------|--------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | | Nati Res AVE | Nati Res STD | Nati Res MIN | Nati Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Nati Res MED | Nati Res MAX | Nati Res AVE | Nati Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Forearm/Wrist | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Forearm/Wrist | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Hand/Fingers | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| Tidilah ingolo | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Hand/Fingers | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |

| | | | Α | II Patier | nts | | | Α | dult On | ly | | | Pe | diatric C | Only | |
|----------------|--------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | | Nati Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX | Nati Res AVE | Nati Res STD | Nati Res MIN | Natl Res MED | Nati Res MAX | Nati Res AVE | Nati Res STD | Nati Res MIN | Natl Res MED | Nati Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Pelvis/Hip | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.5 | 2 | 0 | 0 | 9 | 0.5 | 2 | 0 | 0 | 9 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.6 | 3 | 0 | 0 | 19 | 0.6 | 3 | 0 | 0 | 19 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.2 | 1 | 0 | 0 | 2 | 0.2 | 1 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.2 | 1 | 0 | 0 | 2 | 0.2 | 1 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.5 | 2 | 0 | 0 | 10 | 0.5 | 2 | 0 | 0 | 10 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.1 | 1 | 0 | 0 | 3 | 0.1 | 1 | 0 | 0 | 3 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Pelvis/Hip | 2.0 | 5 | 0 | 0 | 23 | 2.0 | 5 | 0 | 0 | 23 | 0.0 | 0 | 0 | 0 | 0 |
| - emur/Knee | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.4 | 2 | 0 | 0 | 12 | 0.4 | 2 | 0 | 0 | 12 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.1 | 0 | 0 | 0 | 2 | 0.1 | 0 | 0 | 0 | 2 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Femur/Knee | 0.5 | 2 | 0 | 0 | 14 | 0.5 | 2 | 0 | 0 | 14 | 0.0 | 0 | 0 | 0 | 0 |

| | | | Α | II Patien | its | | | Α | dult On | ıly | | | Pe | diatric C | Only | |
|-----------|--------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX | Nati Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX | Nati Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Nati Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Leg/Ankle | Incision | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.2 | 1 | 0 | 0 | 6 | 0.2 | 1 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.2 | 1 | 0 | 0 | 5 | 0.2 | 1 | 0 | 0 | 5 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Leg/Ankle | 0.3 | 1 | 0 | 0 | 6 | 0.3 | 1 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| Foot/Toes | Incision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Amputation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Foot/Toes | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |

| | | | Al | l Patien | ts | | | A | dult Onl | У | | | Pe | diatric C | nly | |
|-----------------------|--------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|-------------------|
| | | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Nati Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Nat Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Other Musculoskeletal | Incision | 0.2 | 1 | 0 | 0 | 3 | 0.2 | 1 | 0 | 0 | 3 | 0.0 | 0 | 0 | 0 | 0 |
| | Excision | 0.8 | 2 | 0 | 0 | 6 | 0.8 | 2 | 0 | 0 | 6 | 0.0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 5.0 | 9 | 0 | 0 | 42 | 4.9 | 9 | 0 | 0 | 42 | 0.1 | 0 | 0 | 0 | 2 |
| | Repair/Revision/Reconstruction | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Trauma | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 188.2 | 159 | 0 | 176 | 514 | 181.4 | 154 | 0 | 167 | 493 | 6.8 | 10 | 0 | 2 | 36 |
| | TOTAL-Other Musclskel | 194.3 | 162 | 0 | 199 | 526 | 187.4 | 157 | 0 | 190 | 505 | 6.9 | 10 | 0 | 2 | 37 |
| Spine | Excision | 25.3 | 27 | 0 | 15 | 98 | 18.2 | 18 | 0 | 14 | 87 | 7.2 | 15 | 0 | 0 | 58 |
| • | Osteotomy | 3.8 | 13 | 0 | 0 | 74 | 2.1 | 5 | 0 | 0 | 22 | 1.7 | 9 | 0 | 0 | 52 |
| | Fracture and/or Dislocation | 20.1 | 75 | 0 | 2 | 426 | 20.0 | 75 | 0 | 2 | 426 | 0.1 | 0 | 0 | 0 | 2 |
| | Decompression | 342.7 | 155 | 113 | 341 | 679 | 341.0 | 155 | 111 | 340 | 679 | 1.6 | 3 | 0 | 0 | 13 |
| | Arthrodesis/Anterior | 135.7 | 62 | 57 | 120 | 330 | 134.5 | 63 | 57 | 119 | 330 | 1.1 | 3 | 0 | 0 | 15 |
| | Arthrodesis/Posterior | 294.6 | 166 | 64 | 257 | 820 | 285.6 | 152 | 63 | 245 | 716 | 9.0 | 25 | 0 | 0 | 104 |
| | Arthrodesis/Deformity | 18.8 | 19 | 0 | 13 | 83 | 12.9 | 14 | 0 | 12 | 71 | 5.9 | 7 | 0 | 4 | 24 |
| | Exploration | 9.0 | 10 | 0 | 7 | 35 | 9.0 | 10 | 0 | 7 | 35 | 0.1 | 0 | 0 | 0 | 1 |
| | Instrumentation | 282.4 | 156 | 18 | 279 | 632 | 275.1 | 155 | 11 | 264 | 621 | 7.4 | 8 | 0 | 7 | 25 |
| | Other Procedures | 1.9 | 5 | 0 | 0 | 27 | 1.3 | 4 | 0 | 0 | 21 | 0.5 | 2 | 0 | 0 | 7 |
| | TOTAL-Spine | 1,134.2 | 437 | 453 | 1,099 | 2,215 | 1,099.6 | 425 | 366 | 1,063 | 2,069 | 34.5 | 43 | 0 | 18 | 146 |

| [PART 6] | Programs in the Nat | 10n: 14 | Kesia | ents in | the Nati | on: 32 | <u> </u> | | | | | | | | | |
|----------------------|-------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | | | Al | l Patient | ts | | | A | dult Onl | у | | | Pe | diatric C | Only | |
| | | Natl Res AVE | Natl Res STD | Nati Res MIN | Nati Res MED | Nati Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Nati Res MED | Natl Res MAX | Natl Res AVE | Natl Res STD | Nati Res MIN | Natl Res MED | Natl Res MAX |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Integumentary System | Incision/Excision | 3.4 | 5 | 0 | 1 | 18 | 3.4 | 5 | 0 | 1 | 18 | 0.0 | 0 | 0 | 0 | 1 |
| | Repair (Closure) | 1.3 | 3 | 0 | 0 | 13 | 1.2 | 3 | 0 | 0 | 13 | 0.0 | 0 | 0 | 0 | 1 |
| | Skin Grafts | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Flaps | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 1 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Integumentary | 4.7 | 7 | 0 | 2 | 32 | 4.7 | 7 | 0 | 2 | 32 | 0.1 | 0 | 0 | 0 | 1 |
| Nervous System | Incision/Excision | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Neuroplasty | 4.2 | 15 | 0 | 0 | 74 | 4.2 | 15 | 0 | 0 | 74 | 0.0 | 0 | 0 | 0 | 0 |
| | Transection or Avulsion | 0.6 | 3 | 0 | 0 | 19 | 0.6 | 3 | 0 | 0 | 19 | 0.0 | 0 | 0 | 0 | 0 |
| | Neurorrhaphy | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Carpal Tunnel | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 |
| | TOTAL-Nervous Systm | 4.8 | 15 | 0 | 0 | 74 | 4.8 | 15 | 0 | 0 | 74 | 0.0 | 0 | 0 | 0 | 0 |
| Trauma Cases | TOTAL-Trauma | 0.5 | 2 | 0 | 0 | 10 | 0.5 | 2 | 0 | 0 | 10 | 0.0 | 0 | 0 | 0 | 0 |
| Total | TOTAL-Procedures | 1,340.9 | 543 | 466 | 1,289 | 2,791 | 1,299.5 | 530 | 369 | 1,262 | 2,624 | 41.5 | 49 | 0 | 22 | 167 |

Reporting Period: Total Experience of Residents Completing Programs in 2015-2016
Residency Review Committee for Orthopaedic Surgery
Report Date: September 9, 2016

| | | | Al | l Patie | nts | | | A | dult Or | nly | | | Ped | iatric C | Only | |
|---------------|--------------------------------|----|--------|---------|---------|----|----|--------|---------|---------|----|----|--------|----------|---------|----|
| | | ı | Reside | nt Perc | entiles | ; | ı | Reside | nt Perc | entiles | ; | ı | Reside | nt Perc | entiles | 3 |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Shoulder | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Shoulder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Humerus/Elbow | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| numerus/Elbow | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | | 0 | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | - | 0 | 0 | - | 0 | 0 | - | 0 | 0 | 0 | - | 0 | - | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | - | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | TOTAL-Humerus/Elbow | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|

Reporting Period: Total Experience of Residents Completing Programs in 2015-2016
Residency Review Committee for Orthopaedic Surgery
Report Date: September 9, 2016

| | | | Al | l Patie | nts | | | A | dult Or | nly | | | Ped | liatric C | Only | |
|---------------|--------------------------------|----|--------|---------|----------|----|----|--------|---------|---------|----|----|--------|-----------|---------|----|
| | | ı | Reside | nt Perc | centiles | ; | ı | Reside | nt Perc | entiles | , | | Reside | nt Perc | entiles | 5 |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Forearm/Wrist | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Forearm/Wrist | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hand/Fingers | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| rianar ingers | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | TOTAL-Hand/Fingers | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|

Reporting Period: Total Experience of Residents Completing Programs in 2015-2016
Residency Review Committee for Orthopaedic Surgery
Report Date: September 9, 2016

| | | | Al | l Patie | nts | | | A | dult Or | nly | | | Ped | iatric C | Only | |
|------------|--------------------------------|----|--------|---------|----------|----|----|--------|---------|----------|----|----|--------|----------|---------|----|
| | | ı | Reside | nt Perd | centiles | ; | ı | Reside | nt Perd | centiles | ; | | Reside | nt Perc | entiles | 5 |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Pelvis/Hip | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Pelvis/Hip | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 0 | 0 | 0 |
| Femur/Knee | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | C |
| | TOTAL-Femur/Knee | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|

Reporting Period: Total Experience of Residents Completing Programs in 2015-2016

Residency Review Committee for Orthopaedic Surgery

Report Date: September 9, 2016

| | | | Al | l Patier | nts | | | A | dult On | ıly | | | Ped | liatric C | Only | |
|-------------|--------------------------------|----|--------|----------|---------|----|----|--------|---------|---------|----|----|--------|-----------|---------|----|
| | | ı | Reside | nt Perc | entiles | 3 | ı | Reside | nt Perc | entiles | } | 1 | Reside | nt Perc | entiles | ; |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Leg/Ankle | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Leg/Ankle | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Foot/Toes | Incision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Manipulation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthrodesis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Amputation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Foot/Toes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Reporting Period: Total Experience of Residents Completing Programs in 2015-2016
Residency Review Committee for Orthopaedic Surgery
Report Date: September 9, 2016

| | | | | All Patie | nts | | | | Adult O | nly | | | Ped | liatric C | Only | |
|-----------------------|--------------------------------|-----|-------|-----------|----------|-------|-----|-------|----------|----------|-------|----|--------|-----------|----------|----|
| | | | Resid | lent Per | centiles | | | Resid | lent Per | centiles | | ı | Reside | nt Perc | centiles | 3 |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Other Musculoskeletal | Incision | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | Excision | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| | Intro or Removal | 0 | 0 | 0 | 7 | 16 | 0 | 0 | 0 | 6 | 16 | 0 | 0 | 0 | 0 | 0 |
| | Repair/Revision/Reconstruction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Trauma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Arthroscopy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 3 | 65 | 176 | 299 | 391 | 1 | 65 | 167 | 292 | 360 | 0 | 0 | 2 | 7 | 21 |
| | TOTAL-Other Musclskel | 3 | 76 | 199 | 310 | 392 | 1 | 76 | 190 | 308 | 361 | 0 | 0 | 2 | 7 | 21 |
| | | | | | | | | | | | | | | | | |
| Spine | Excision | 0 | 10 | 15 | 30 | 73 | 0 | 8 | 14 | 27 | 40 | 0 | 0 | 0 | 3 | 29 |
| | Osteotomy | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 0 | 0 | 0 |
| | Fracture and/or Dislocation | 0 | 0 | 2 | 11 | 22 | 0 | 0 | 2 | 11 | 22 | 0 | 0 | 0 | 0 | 0 |
| | Decompression | 125 | 244 | 341 | 427 | 554 | 122 | 244 | 340 | 427 | 554 | 0 | 0 | 0 | 1 | 5 |
| | Arthrodesis/Anterior | 73 | 100 | 120 | 142 | 216 | 71 | 100 | 119 | 142 | 216 | 0 | 0 | 0 | 0 | 3 |
| | Arthrodesis/Posterior | 121 | 201 | 257 | 333 | 512 | 121 | 200 | 245 | 333 | 497 | 0 | 0 | 0 | 3 | 15 |
| | Arthrodesis/Deformity | 0 | 7 | 13 | 23 | 41 | 0 | 5 | 12 | 15 | 25 | 0 | 0 | 4 | 6 | 16 |
| | Exploration | 0 | 1 | 7 | 14 | 23 | 0 | 1 | 7 | 13 | 23 | 0 | 0 | 0 | 0 | 0 |
| | Instrumentation | 93 | 169 | 279 | 382 | 507 | 92 | 150 | 264 | 374 | 506 | 0 | 1 | 7 | 11 | 21 |
| | Other Procedures | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 |
| | TOTAL-Spine | 689 | 838 | 1,099 | 1,270 | 1.736 | 672 | 784 | 1,063 | 1,270 | 1.736 | 0 | 2 | 18 | 49 | 94 |

Reporting Period: Total Experience of Residents Completing Programs in 2015-2016
Residency Review Committee for Orthopaedic Surgery
Report Date: September 9, 2016

| | | | Α | II Patier | nts | | | 1 | Adult O | nly | | | Ped | iatric C | Only | |
|----------------------|-------------------------|-----|--------|-----------|----------|-------|-----|-------|---------|----------|-------|----|--------|----------|----------|-----|
| | | | Reside | ent Perd | centiles | | | Resid | ent Per | centiles | | | Reside | nt Perc | centiles | 3 |
| | | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 | 10 | 30 | 50 | 70 | 90 |
| RRC Area | RRC Procedure | | | | | | | | | | | | | | | |
| Integumentary System | Incision/Excision | 0 | 0 | 1 | 4 | 12 | 0 | 0 | 1 | 4 | 12 | 0 | 0 | 0 | 0 | 0 |
| | Repair (Closure) | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |
| | Skin Grafts | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flaps | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Integumentary | 0 | 0 | 2 | 5 | 14 | 0 | 0 | 2 | 5 | 13 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | |
| Nervous System | Incision/Excision | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Neuroplasty | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| | Transection or Avulsion | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Neurorrhaphy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Carpal Tunnel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Other Procedures | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TOTAL-Nervous Systm | 0 | 0 | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | |
| Trauma Cases | TOTAL-Trauma | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | |
| Total | TOTAL-Procedures | 737 | 1,006 | 1,289 | 1,546 | 2,104 | 719 | 999 | 1,262 | 1,534 | 2,065 | 0 | 5 | 22 | 56 | 116 |